




- 1 -

## LISTING OF CLAIMS


### CLAIMS 1-19 (CANCELED)

**20-** (currently amended) A compound of formula (I) :



wherein :

◆ A represents



wherein ~~R<sub>1</sub> and R'<sub>1</sub>, which may be identical or different,~~ each represents linear or branched (C<sub>1</sub>-C<sub>6</sub>)alkyl, linear or branched (C<sub>2</sub>-C<sub>6</sub>)alkenyl, linear or branched (C<sub>2</sub>-C<sub>6</sub>)alkynyl, (C<sub>3</sub>-C<sub>8</sub>)cycloalkyl, (C<sub>3</sub>-C<sub>8</sub>)cycloalkyl-(C<sub>1</sub>-C<sub>6</sub>)alkyl in which the alkyl moiety may be linear or branched, aryl, aryl-(C<sub>1</sub>-C<sub>6</sub>)alkyl in which the alkyl moiety may be linear or branched, heteroaryl or heteroaryl-(C<sub>1</sub>-C<sub>6</sub>)alkyl in which the alkyl moiety may be linear or branched,

and R<sub>2</sub> represents hydrogen or linear or branched (C<sub>1</sub>-C<sub>6</sub>)alkyl,

it being possible, for R<sub>1</sub> and R<sub>2</sub> together to form a linear or branched alkylene chain having from 3 to 6 carbon atoms,

- ◆ R<sub>3</sub> represents linear or branched (C<sub>1</sub>-C<sub>6</sub>)alkoxy,
- ◆ R<sub>4</sub> represents halogen, hydroxy, linear or branched (C<sub>1</sub>-C<sub>6</sub>)alkoxy or amino optionally substituted by one or two linear or branched (C<sub>1</sub>-C<sub>6</sub>)alkyl,
- ◆ p is 1, 2 or 3,

it being understood that :

- "aryl" denotes phenyl, naphthyl or biphenyl,
- "heteroaryl" denotes a mono- or bi-cyclic aromatic group having from 1 to 3 hetero atoms selected from oxygen, sulphur and nitrogen,

wherein the aryl and heteroaryl groups so defined may be substituted by from 1 to 3 groups  
5 selected from linear or branched (C<sub>1</sub>-C<sub>6</sub>)alkyl, linear or branched (C<sub>1</sub>-C<sub>6</sub>)alkoxy, hydroxy, carboxy, formyl, nitro, cyano, linear or branched polyhalo(C<sub>1</sub>-C<sub>6</sub>)alkyl, alkoxycarbonyl and halogen,

its enantiomers and diastereoisomers, and addition salts thereof with a pharmaceutically-acceptable acid or base.

**21-** (canceled)

10 **22-** (previously presented) A compound of Claim 20, wherein R<sub>1</sub> represents linear or branched (C<sub>1</sub>-C<sub>6</sub>)alkyl.

**23-** (previously presented) A compound of Claim 20, wherein R<sub>1</sub> represents (C<sub>3</sub>-C<sub>8</sub>)cycloalkyl.

15 **24-** (previously presented) A compound of Claim 20, wherein R<sub>2</sub> represents hydrogen.

**25-** (previously presented) A compound of Claim 20, wherein p is 2.

**26-** (previously presented) A compound of Claim 20, wherein R<sub>3</sub> represents methoxy.

**27-** (previously presented) A compound of Claim 20, wherein R<sub>4</sub> represents OH.

**28-** (previously presented) A compound of Claim 20, wherein R<sub>4</sub> represents OMe.

20 **29-** (previously presented) A compound of Claim 20, wherein R<sub>4</sub> represents NH<sub>2</sub>.

**30-** (previously presented) A compound of Claim 20, wherein R<sub>4</sub> represents halogen.

**31-** (previously presented) A compound of Claim 20, wherein the -CH<sub>2</sub>R<sub>4</sub> group is in the 3 position (meta) of the phenyl group.

**32-** (previously presented) A compound of Claim 20, which is selected from *N*-(2-{3-[3-(hydroxymethyl)phenyl]-7-methoxy-1-naphthyl}ethyl)acetamide, and addition salts thereof with a pharmaceutically-acceptable acid or base.

**33-** (previously presented) A compound of Claim 20, which is selected from *N*-(2-{3-[3-(aminomethyl)phenyl]-7-methoxy-1-naphthyl}ethyl)acetamide, and addition salts thereof with a pharmaceutically-acceptable acid or base.

**34-** (canceled)

**35-** (withdrawn) A method of treating a living animal body, including a human, afflicted with a disorder of the melatonergic system comprising the step of administering to the living animal body, including a human, an amount of a compound of Claim 20 which is effective for alleviation of the disorder.

**36-** (withdrawn) A method of treating a living animal body, including a human, afflicted with a condition selected from sleep disorders, stress, anxiety, seasonal affective disorders or severe depression, cardiovascular pathologies, pathologies of the digestive system, insomnia and fatigue due to jetlag, schizophrenia, panic attacks, melancholia, appetite disorders, obesity, insomnia, psychotic disorders, epilepsy, diabetes, Parkinson's disease, senile dementia, various disorders associated with normal or pathological ageing, migraine, memory losses, Alzheimer's disease, cerebral circulation disorders, and also sexual dysfunctions, ovulation and immunomodulation disorders and cancers, comprising the step of administering to the living animal body, including a human, an amount of a compound of Claim 20 which is effective for alleviation of the condition.

**37-** (currently amended) A pharmaceutical composition ~~useful for treating melatoninergic disorders~~ comprising as active principle an effective amount of a compound of Claim 20, together with one or more pharmaceutically-acceptable excipients or vehicles.

**38-** (canceled)

5

**39-** (canceled)

**40-** (canceled)